

OperationalError at /de/rezepte/lassen-sie-sich-inspirieren/tomatenrisotto-mit-burrata/pdf/

connection to server at "pg-proxy-service" (10.111.241.242), port 5432 failed: FATAL: remaining connection slots are reserved for non-replication superuser connections

Request Method: GET

Request URL: https://www.pomito.at/de/rezepte/lassen-sie-sich-inspirieren/tomatenrisotto-mit-burrata/pdf/?html=1

Django Version: 4.1.5

Exception Type: OperationalError

Exception Value: connection to server at "pg-proxy-service" (10.111.241.242), port 5432 failed: FATAL: remaining connection slots are reserved for non-replication superuser connections

Exception Location: /usr/local/lib/python3.10/site-packages/psycogp2/_init_.py, line 122, in connect

Raised during: recipes.views.recipe_detail

Python Executable: /usr/local/bin/uwsgi

Python Version: 3.10.9

Python Path: ['/opt/project/src',
'',
'',
'/usr/local/lib/python310.zip',
'/usr/local/lib/python3.10',
'/usr/local/lib/python3.10/lib-dynload',
'/usr/local/lib/python3.10/site-packages',
'/usr/local/lib/python3.10/site-packages/odf',
'/usr/local/lib/python3.10/site-packages/odf',
'/usr/local/lib/python3.10/site-packages/odf',
'/usr/local/lib/python3.10/site-packages/odf',
'/usr/local/lib/python3.10/site-packages/odf',
'/usr/local/lib/python3.10/site-packages/odf',
'/usr/local/lib/python3.10/site-packages/odf',
'/usr/local/lib/python3.10/site-packages/odf']

Server time: Tue, 17 Dec 2024 18:06:32 +0000

Traceback [Switch to copy-and-paste view](#)

/opt/project/src/geotargeting/middleware.py, line 71, in process_request

```
71.         assert forced_cluster_slug is not None
```

▶ Local vars

During handling of the above exception (), another exception occurred:

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 282, in ensure_connection

```
282.         self.connect()
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/sentry_sdk/integrations/django/_init_.py, line 586, in connect

```
586.         return real_connect(self)
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/utils/asyncio.py, line 26, in inner

```
26.         return func(*args, **kwargs)
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 263, in connect

```
263.         self.connection = self.get_new_connection(conn_params)
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/utils/asyncio.py, line 26, in inner

```
26.         return func(*args, **kwargs)
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/postgresql/base.py, line 215, in get_new_connection

```
215.         connection = Database.connect(**conn_params)
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/psycogp2/_init_.py, line 122, in connect

```
122.         conn = _connect(dsn, connection_factory=connection_factory, **kwargs)
```

▶ Local vars

The above exception (connection to server at "pg-proxy-service" (10.111.241.242), port 5432 failed: FATAL: remaining connection slots are reserved for non-replication superuser connections) was the direct cause of the following exception:

/usr/local/lib/python3.10/site-packages/django/core/handlers/exception.py, line 55, in inner

```
55.         response = get_response(request) ...
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/sentry_sdk/integrations/django/middleware.py, line 176, in __call__

```
176.         return f(*args, **kwargs) ...
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/utils/deprecation.py, line 135, in __call__

```
135.         response = self.process_request(request) ...
```

▶ Local vars

/opt/project/src/geotargeting/middleware.py, line 76, in process_request

```
76.         cluster, domain = get_cluster_from_path(request.build_absolute_uri()) ...
```

▶ Local vars

/opt/project/src/geotargeting/utils.py, line 64, in get_cluster_from_path

```
64.         for domain in cluster.domains.all(): ...
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/models/query.py, line 394, in __iter__

```
394.         self._fetch_all() ...
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/models/query.py, line 1867, in _fetch_all

```
1867.         self._result_cache = list(self._iterable_class(self)) ...
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/models/query.py, line 87, in __iter__

```
87.         results = compiler.execute_sql( ...
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/models/sql/compiler.py, line 1396, in execute_sql

```
1396.         cursor = self.connection.cursor() ...
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/utils/asyncio.py, line 26, in inner

```
26.         return func(*args, **kwargs) ...
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 323, in cursor

```
323.         return self._cursor() ...
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 299, in _cursor

```
299.         self.ensure_connection() ...
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/utils/asyncio.py, line 26, in inner

```
26.         return func(*args, **kwargs) ...
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 281, in ensure_connection

```
281.         with self.wrap_database_errors: ...
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/utils.py, line 91, in __exit__

```
91.         raise dj_exc_value.with_traceback(traceback) from exc_value
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 282, in ensure_connection

```
282.         self.connect()
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/sentry_sdk/integrations/django/__init__.py, line 586, in connect

```
586.         return real_connect(self)
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/utils/asyncio.py, line 26, in inner

```
26.         return func(*args, **kwargs)
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/base/base.py, line 263, in connect

```
263.         self.connection = self.get_new_connection(conn_params)
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/utils/asyncio.py, line 26, in inner

```
26.         return func(*args, **kwargs)
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/django/db/backends/postgresql/base.py, line 215, in get_new_connection

```
215.         connection = Database.connect(**conn_params)
```

▶ Local vars

/usr/local/lib/python3.10/site-packages/psycopg2/__init__.py, line 122, in connect

```
122.     conn = _connect(dsn, connection_factory=connection_factory, **kwasync)
```

▶ Local vars

Request information

USER AnonymousUser

GET

Variable	Value
html	'1'

POST No POST data

FILES No FILES data

COOKIES No cookie data

META

Variable	Value
CONTENT_LENGTH	''
CONTENT_TYPE	''
DOCUMENT_ROOT	'/opt/project/src'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8'
HTTP_ACCEPT_ENCODING	'gzip, deflate'
HTTP_ACCEPT_LANGUAGE	'en,*'
HTTP_HOST	'www.pomito.at'
HTTP_USER_AGENT	('Mozilla/5.0 (Unknown; Linux x86_64) AppleWebKit/602.1 (KHTML, like Gecko) ' 'wkhtmltopdf Version/10.0 Safari/602.1')
HTTP_X_FORWARDED_FOR	'10.108.4.49'
HTTP_X_FORWARDED_HOST	'www.pomito.at'
HTTP_X_FORWARDED_PORT	'443'
HTTP_X_FORWARDED_PROTO	'https'
HTTP_X_FORWARDED_SCHEME	'https'
HTTP_X_REAL_IP	'10.108.4.49'
HTTP_X_REQUEST_ID	'b924c0c90eaadd0ca6d3475638e9b2df'
HTTP_X_SCHEME	'https'
PATH_INFO	'/de/rezepte/lassen-sie-sich-inspirieren/tomatenrisotto-mit-burrata/pdf/'

```

QUERY_STRING          'html=1'
REMOTE_ADDR           '10.108.2.29'
REMOTE_PORT           '57406'
REQUEST_METHOD        'GET'
REQUEST_SCHEME        'http'
REQUEST_URI           '/de/rezepte/lassen-sie-sich-inspirieren/tomatenrisotto-mit-burrata/pdf/?html=1'
SCRIPT_NAME           ''
SERVER_NAME           'pomi-website.k8s.live.devhoop.com'
SERVER_PORT           '80'
SERVER_PROTOCOL       'HTTP/1.1'
uwsgi.core            13
uwsgi.node            b'web-deployment-7555c6664-77brl'
uwsgi.version         b'2.0.21'
wsgi.errors           <_io.TextIOWrapper name=2 mode='w' encoding='UTF-8'>
wsgi.file_wrapper     <built-in function uwsgi_sendfile>

wsgi.input            <uwsgi._Input object at 0x79d023ab5790>
wsgi.multiprocess     False
wsgi.multithread      True
wsgi.run_once         False
wsgi.url_scheme       'https'
wsgi.version          (1, 0)

```

Settings

Using settings module `_pomi_website.settings`

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	['*']
APPEND_SLASH	True
ASYNC_IMPORT_EXPORT_NOTIFICATION_RECIPIENTS	['c.evangelisti@hoopcommunication.it', 'c.bartolini@hoopcommunication.it']
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	['*****']
AUTH_USER_MODEL	'custom_auth.CustomUser'
BASE_DIR	'/opt/project/src'
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.memcached.PyMemcacheCache', 'KEY_PREFIX': '*****', 'LOCATION': 'memcached-service:11211', 'TIMEOUT': 3600}}
CACHE_DEFAULT_BACKEND_CONF	{'LIVE': {'BACKEND': 'django.core.cache.backends.memcached.PyMemcacheCache', 'KEY_PREFIX': '*****', 'LOCATION': 'memcached-service:11211', 'TIMEOUT': 3600}, 'LOCAL': {'BACKEND': 'django.core.cache.backends.dummy.DummyCache'}, 'TEST': {'BACKEND': 'django.core.cache.backends.dummy.DummyCache'}}
CACHE_DURATION_DEFAULT	3600
CACHE_KEY_PREFIX	['*****']
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	['*****']
CACHE_MIDDLEWARE_SECONDS	600
CELERY_BROKER_URL	'amqp://rabbit-web:rabbit-web@rabbitmq-live-headless.websites- infrastructure.svc:5672/pomi'
CELERY_BROKER_URL_CONFIG	{'LIVE': 'amqp://rabbit-web:rabbit-web@rabbitmq-live- headless.websites- infrastructure.svc:5672/pomi', 'LOCAL': 'amqp://pomi_website:pomi_website@localhost:5672/pomi_website', 'TEST': 'amqp://pomi_website:pomi_website@rabbitmq:5672/pomi_website'}
CELERY_RESULT_BACKEND	'django-db'
CELERY_TASK_ALWAYS_EAGER	False
CMS_CACHE_DURATIONS	{'content': 3600, 'menus': 3600, 'permissions': 3600}
CMS_LANGUAGES	{1: [{'code': 'it', 'fallbacks': [], 'hide_untranslated': True, 'name': 'Italienisch', 'public': True, 'redirect_on_fallback': False}, {'code': 'en', 'fallbacks': [], 'hide_untranslated': True, 'name': 'Englisch', 'public': True,

```

        'redirect_on_fallback': False},
    {'code': 'es',
     'fallbacks': [],
     'hide_untranslated': True,
     'name': 'Spanisch',
     'public': True,
     'redirect_on_fallback': False},
    {'code': 'de',
     'fallbacks': [],
     'hide_untranslated': True,
     'name': 'Deutsch',
     'public': True,
     'redirect_on_fallback': False},
    {'code': 'fr',
     'fallbacks': [],
     'hide_untranslated': True,
     'name': 'Französisch',
     'public': True,
     'redirect_on_fallback': False},
    {'code': 'ar',
     'fallbacks': [],
     'hide_untranslated': True,
     'name': 'Arabisch',
     'public': True,
     'redirect_on_fallback': False},
    {'code': 'ru',
     'fallbacks': [],
     'hide_untranslated': True,
     'name': 'Russisch',
     'public': True,
     'redirect_on_fallback': False},
    {'code': 'ja',
     'fallbacks': [],
     'hide_untranslated': True,
     'name': 'Japanisch',
     'public': True,
     'redirect_on_fallback': False},
    {'code': 'en-us',
     'fallbacks': [],
     'hide_untranslated': True,
     'name': 'Englisch US',
     'public': True,
     'redirect_on_fallback': False},
    {'code': 'he',
     'fallbacks': [],
     'hide_untranslated': True,
     'name': 'Hebräisch',
     'public': True,
     'redirect_on_fallback': False}},
    'default': {'fallbacks': [],
                'hide_untranslated': True,
                'public': True,
                'redirect_on_fallback': False},
    <class 'cms.utils.conf.VERIFIED': True}

CMS_PAGE_CACHE
CMS_PLACEHOLDER_CONF
False
{'bottom_content': {'name': 'Bottom Content Placeholder'},
 'cms_content': {'name': 'Static content from CMS'},
 'middle_content_column_large_5': {'name': 'Column large 5 Placeholder'},
 'middle_content_column_large_7': {'name': 'Column large 7 Placeholder'},
 'top_content': {'name': 'Top Content Placeholder'}}

CMS_TEMPLATES_DIR
CONFIG_DATABASES
{'LIVE': {'default': {'ATOMIC_REQUESTS': False,
                     'AUTOCOMMIT': True,
                     'CONN_HEALTH_CHECKS': False,
                     'CONN_MAX_AGE': 0,
                     'ENGINE':
'django.db.backends.postgresql_psycopg2',
                     'HOST': 'pg-proxy-service',
                     'NAME': 'pomi',
                     'OPTIONS': {},
                     'PASSWORD': '*****',
                     'PORT': '',
                     'TEST': {'CHARSET': None,
                              'COLLATION': None,
                              'MIGRATE': True,
                              'MIRROR': None,
                              'NAME': None},
                     'TIME_ZONE': None,
                     'USER': 'pomi'}}},
 'LOCAL': {'default': {'ENGINE':
'django.db.backends.postgresql_psycopg2',
                  'HOST': 'pg-proxy-service',
                  'NAME': 'pomi',
                  'PASSWORD': '*****',

```

```

        'PORT': '',
        'USER': 'pomi'}}},
    'TEST': {'default': {'ENGINE':
'django.db.backends.postgresql_psycpg2',
        'HOST': 'postgres',
        'NAME': 'pomi_website',
        'PASSWORD': '*****',
        'PORT': '',
        'USER': 'pomi_website'}}}

CONFIG_EMAIL_FROM {'LIVE': 'Pomi <pomismtp@studiopleiadi.com>',
'LOCAL': 'Pomi <pomismtp@studiopleiadi.com>',
'TEST': 'Pomi <pomismtp@studiopleiadi.com>'}

CONFIG_EMAIL_HOST {'LIVE': 'smtp5.studiopleiadi.com',
'LOCAL': 'smtp5.studiopleiadi.com',
'TEST': 'smtp5.studiopleiadi.com'}

CONFIG_EMAIL_TO {'LIVE': ('info@pomionline.it'),
'LOCAL': ('c.bartolini@hoopcommunication.it'),
'TEST': ('c.bartolini@hoopcommunication.it'),}

CONFIG_NEWSLETTER_EMAIL_TO {'LIVE': ('c.bartolini@hoopcommunication.it'),
'LOCAL': ('c.bartolini@hoopcommunication.it'),
'TEST': ('c.bartolini@hoopcommunication.it'),}

CSRF_COOKIE_AGE 31449600
CSRF_COOKIE_DOMAIN None
CSRF_COOKIE_HTTPONLY False
CSRF_COOKIE_MASKED False
CSRF_COOKIE_NAME 'csrftoken'
CSRF_COOKIE_PATH '/'
CSRF_COOKIE_SAMESITE 'Lax'
CSRF_COOKIE_SECURE False
CSRF_FAILURE_VIEW 'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME 'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS []
CSRF_USE_SESSIONS False
CURRENT_ENV 'LIVE'
DATABASES {'default': {'ATOMIC_REQUESTS': False,
'AUTOCOMMIT': True,
'CONN_HEALTH_CHECKS': False,
'CONN_MAX_AGE': 0,
'ENGINE': 'django.db.backends.postgresql_psycpg2',
'HOST': 'pg-proxy-service',
'NAME': 'pomi',
'OPTIONS': {},
'PASSWORD': '*****',
'PORT': '',
'TEST': {'CHARSET': None,
'COLLATION': None,
'MIGRATE': True,
'MIRROR': None,
'NAME': None},
'TIME_ZONE': None,
'USER': 'pomi'}}

DATABASE_ROUTERS []
DATA_UPLOAD_MAX_MEMORY_SIZE 2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS 1000
DATETIME_FORMAT 'N j, Y, P'
DATETIME_INPUT_FORMATS ['%Y-%m-%d %H:%M:%S',
'%Y-%m-%d %H:%M:%S.%f',
'%Y-%m-%d %H:%M',
'%m/%d/%Y %H:%M:%S',
'%m/%d/%Y %H:%M:%S.%f',
'%m/%d/%Y %H:%M',
'%m/%d/%y %H:%M:%S',
'%m/%d/%y %H:%M:%S.%f',
'%m/%d/%y %H:%M']

DATE_FORMAT 'N j, Y'
DATE_INPUT_FORMATS ['%Y-%m-%d',
'%m/%d/%Y',
'%m/%d/%y',
'%b %d %Y',
'%b %d, %Y',
'%d %b %Y',
'%d %b, %Y',
'%B %d %Y',
'%B %d, %Y',
'%d %B %Y',
'%d %B, %Y']

DEBUG True
DEBUG_PROPAGATE_EXCEPTIONS False
DECIMAL_SEPARATOR '.'
DEFAULT_AUTO_FIELD 'django.db.models.BigAutoField'

```

```

DEFAULT_BCC_EMAIL ('c.bartolini@hoopcommunication.it',)
DEFAULT_CC_EMAIL ''
DEFAULT_CHARSET 'utf-8'
DEFAULT_EXCEPTION_REPORTER 'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE 'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL 'Pomi <pomismtp@studiopleiadi.com>'
DEFAULT_INDEX_TABLESPACE ''
DEFAULT_SCHEME 'https'
DEFAULT_TABLESPACE ''
DEFAULT_TO_EMAIL ('info@pomionline.it',)
DISALLOWED_USER_AGENTS []
EMAIL_BACKEND 'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST 'smtp5.studiopleiadi.com'
EMAIL_HOST_PASSWORD '*****'
EMAIL_HOST_USER ''
EMAIL_PORT 12525
EMAIL_SSL_CERTFILE None
EMAIL_SSL_KEYFILE '*****'
EMAIL_SUBJECT_PREFIX '[Django] '
EMAIL_TIMEOUT None
EMAIL_USE_LOCALTIME False
EMAIL_USE_SSL False
EMAIL_USE_TLS False
FILER_IMAGE_MODEL 'filer.Image'
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
FILE_UPLOAD_HANDLERS ['django.core.files.uploadhandler.MemoryFileUploadHandler',
'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE 2621440
FILE_UPLOAD_PERMISSIONS 420
FILE_UPLOAD_TEMP_DIR None
FIRST_DAY_OF_WEEK 0
FIXTURE_DIRS []
FORCE_SCRIPT_NAME None
FORMAT_MODULE_PATH None
FORM_RENDERER 'django.forms.renderers.DjangoTemplates'
GEOTARGETTING_CLUSTER_SLUG 'pomito'
GEOTARGETTING_URLS_WHITELIST []
GEOTARGETTING_WORLDWIDE_CLUSTER_SLUG 'italia'
IGNORABLE_404_URLS []
IMPORT_EXPORT_TMP_STORAGE_CLASS <class 'import_export.tmp_storages.MediaStorage'>
INSTALLED_APPS ['dynamic_settings.apps.DynamicSettingsConfig',
'geotargetting.apps.GeotargettingConfig',
'modeltranslation',
'themes',
'django.contrib.admin',
'django.contrib.auth',
'django.contrib.contenttypes',
'django.contrib.sessions',
'django.contrib.messages',
'django.contrib.staticfiles',
'django.contrib.sites',
'django.contrib.humanize',
'django.contrib.sitemaps',
'easy_thumbnails.apps.EasyThumbnailsConfig',
'tz_detect',
'crequest',
'import_export',
'django_celery_beat',
'django_celery_results',
'sortedm2m',
'adminsortable2',
'captcha',
'rest_framework',
'versatileimagefield',
'core',
'core.webp_srcset.apps.WebpSrcsetConfig',
'custom_auth.apps.CustomAuthConfig',
'pleiadi_content',
'versatile_image',
'site_menu.apps.SiteMenuConfig',
'filer',
'pleiadi_geographic.apps.PleiadiGeographicConfig',
'mailing',
'site_extension.apps.SiteExtensionConfig',
'media_cleaner.apps.MediaCleanerConfig',
'caching.apps.CachingConfig',
'data_exporter.apps.DataExporterConfig',

```

INTERNAL_IPS

LANGUAGES

LANGUAGES_BIDI

LANGUAGES_CONFIGURATION

```
'cms',
'treebeard',
'menus',
'sekizai',
'cms_extensions.apps.CmsExtensionsConfig',
'djangocms_text_ckeditor',
'pleiadi_composer.apps.PleiadiComposerConfig',
'recipes.apps.RecipesConfig',
'products.apps.ProductsConfig',
'contacts.apps.ContactsConfig',
'media_center.blog.apps.BlogConfig',
'media_center.press.apps.PressConfig',
'recipes_books.apps.RecipesBooksConfig']
['127.0.0.1']
[('it', 'Italian'),
 ('en', 'English'),
 ('es', 'Spanish'),
 ('de', 'German'),
 ('fr', 'French'),
 ('ar', 'Arabic'),
 ('ru', 'Russian'),
 ('ja', 'Japanese'),
 ('en-us', 'English US'),
 ('he', 'Hebrew')]
['he', 'ar', 'ar-dz', 'fa', 'ur']
{'ar': {'active': True,
        'country_slug': 'united-arab-emirates',
        'flag': 'pleiadi_content/languages/images/flags/ar.gif',
        'locale': 'ar',
        'locale_country': 'ar-AE',
        'rel_alternate_language_code': 'ar',
        'text_direction': 'rtl',
        'visible_front_end': True},
 'de': {'active': True,
        'country_slug': 'germany',
        'flag': 'pleiadi_content/languages/images/flags/de.gif',
        'locale': 'de',
        'locale_country': 'de-DE',
        'rel_alternate_language_code': 'de',
        'text_direction': 'ltr',
        'visible_front_end': True},
 'en': {'active': True,
        'country_slug': None,
        'flag': 'pleiadi_content/languages/images/flags/en.gif',
        'locale': 'en',
        'locale_country': 'en',
        'rel_alternate_language_code': 'en',
        'text_direction': 'ltr',
        'visible_front_end': True},
 'en-us': {'active': True,
           'country_slug': None,
           'flag':
'pleiadi_content/languages/images/flags/usa.gif',
           'locale': 'en-us',
           'locale_country': 'en-US',
           'rel_alternate_language_code': 'en-us',
           'text_direction': 'ltr',
           'visible_front_end': True},
 'es': {'active': True,
        'country_slug': 'spain',
        'flag': 'pleiadi_content/languages/images/flags/es.gif',
        'locale': 'es',
        'locale_country': 'es-ES',
        'rel_alternate_language_code': 'es',
        'text_direction': 'ltr',
        'visible_front_end': True},
 'fr': {'active': True,
        'country_slug': 'france',
        'flag': 'pleiadi_content/languages/images/flags/fr.gif',
        'locale': 'fr',
        'locale_country': 'fr-FR',
        'rel_alternate_language_code': 'fr',
        'text_direction': 'ltr',
        'visible_front_end': True},
 'he': {'active': True,
        'country_slug': 'israel',
        'flag': 'pleiadi_content/languages/images/flags/il.gif',
        'locale': 'he',
        'locale_country': 'he',
        'rel_alternate_language_code': 'he',
        'text_direction': 'rtl',
        'visible_front_end': True},
 'it': {'active': True,
        'country_slug': 'italia',
        'flag': 'pleiadi_content/languages/images/flags/it.gif',
        'locale': 'it',
        'locale_country': 'it-IT',
```



```

        'rel_alternate_language_code': 'it',
        'text_direction': 'ltr',
        'visible_front_end': True},
'ja': {'active': True,
        'country_slug': 'japan',
        'flag': 'pleiadi_content/languages/images/flags/ja.gif',
        'locale': 'ja',
        'locale_country': 'ja',
        'rel_alternate_language_code': 'ja',
        'text_direction': 'ltr',
        'visible_front_end': True},
'ru': {'active': True,
        'country_slug': 'russian-federation',
        'flag': 'pleiadi_content/languages/images/flags/ru.gif',
        'locale': 'ru',
        'locale_country': 'ru',
        'rel_alternate_language_code': 'ru',
        'text_direction': 'ltr',
        'visible_front_end': True}}

LANGUAGE_CODE 'it'
LANGUAGE_COOKIE_AGE None
LANGUAGE_COOKIE_DOMAIN None
LANGUAGE_COOKIE_HTTPONLY False
LANGUAGE_COOKIE_NAME 'django_language'
LANGUAGE_COOKIE_PATH '/'
LANGUAGE_COOKIE_SAMESITE None
LANGUAGE_COOKIE_SECURE False
LOCALE_PATHS ('/opt/project/src/locale',)
LOGGING {}
LOGGING_CONFIG 'logging.config.dictConfig'
LOGIN_REDIRECT_URL '/accounts/profile/'
LOGIN_URL '/accounts/login/'
LOGOUT_REDIRECT_URL None
MAILCHIMP_API_KEY '*****'
MAILCHIMP_LIST_ID 'ff25e8c10f'
MANAGERS []
MEDIA_ROOT '/opt/project/src/../media'
MEDIA_URL '/media-2/'
MESSAGE_STORAGE 'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE ['django.contrib.sessions.middleware.SessionMiddleware',
'django.contrib.auth.middleware.AuthenticationMiddleware',
'geotargeting.middleware.GeotargetingMiddleware',
'django.middleware.security.SecurityMiddleware',
'django.middleware.locale.LocaleMiddleware',
'django.middleware.common.CommonMiddleware',
'django.middleware.csrf.CsrfViewMiddleware',
'cms.middleware.utils.ApphookReloadMiddleware',
'django.contrib.messages.middleware.MessageMiddleware',
'django.middleware.clickjacking.XFrameOptionsMiddleware',
'crequest.middleware.CrequestMiddleware',
'cms.middleware.user.CurrentUserMiddleware',
'cms.middleware.page.CurrentPageMiddleware',
'cms.middleware.toolbar.ToolbarMiddleware',
'cms.middleware.language.LanguageCookieMiddleware',
'core.middleware.AjaxMiddleware']

MIGRATION_MODULES {}
MODELTRANSLATION_FALLBACK_LANGUAGES {'default': ()}
MONTH_DAY_FORMAT 'F j'
NEWSLETTER_TO_EMAIL ('c.bartolini@hoopcommunication.it',)
NOCAPTCHA True
NUMBER_GROUPING 0
PASSWORD_HASHERS '*****'
PASSWORD_RESET_TIMEOUT '*****'
PREPEND_WWW False
RECAPTCHA_PRIVATE_KEY '*****'
RECAPTCHA_PUBLIC_KEY '*****'
ROOT_URLCONF '_pomi_website.urls'
SECRET_KEY '*****'
SECRET_KEY_FALLBACKS '*****'
SECURE_CONTENT_TYPE_NOSNIFF True
SECURE_CROSS_ORIGIN_OPENER_POLICY 'same-origin'
SECURE_HSTS_INCLUDE_SUBDOMAINS False
SECURE_HSTS_PRELOAD False
SECURE_HSTS_SECONDS 0
SECURE_PROXY_SSL_HEADER ('HTTP_X_PROXY_SCHEME', 'https')
SECURE_REDIRECT_EXEMPT []

```

SECURE_REFERRER_POLICY	'same-origin'
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'_pomi_website.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
SITE_ID	1
SITE_ID_FOR_VISIBILITY	1
SITE_MENU_MAIL_RECIPIENTS	['c.bartolini@hoopcommunication.it', 'l.lanzoni@hoopcommunication.it']
STATICFILES_DIRS	['/opt/project/src/dist']
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	'/opt/project/src/../static'
STATIC_URL	'/static-2/'
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': ['/opt/project/src/dist/templates'], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages', 'sekizai.context_processors.sekizai', 'cms.context_processors.cms_settings', 'site_extension.context_processors.sites_context', 'site_menu.context_processors.side_menu', 'geotargeting.context_processors.geo_targeting', 'geotargeting.context_processors.site_socials', 'products.context_processors.products_context']}}}]
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	','
THUMBNAIL_DEBUG	False
TIME_FORMAT	'P'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_DEPRECATED_PYTZ	False
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	True
USE_X_FORWARDED_PORT	False
VARY_ON_HEADER_DEFAULT	('X-Varnish-Is-Mobile-Viewer',)
VERSATILEIMAGEFIELD_SETTINGS	{'create_images_on_demand': True}
WKHTMLOPDF_BIN	'/usr/bin/wkhtmltopdf'
WKHTMLOPDF_BIN_CONF	{'LIVE': '/usr/bin/wkhtmltopdf', 'LOCAL': '/usr/local/bin/wkhtmltopdf',

WSGI_APPLICATION	'TEST': '/usr/bin/wkhtmltopdf}
X_FRAME_OPTIONS	'_pomi_website.wsgi.application'
YEAR_MONTH_FORMAT	'SAMEORIGIN'
	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.